

INDUSTRIAL CRANES
NUCLEAR CRANES
PORT CRANES
HEAVY-DUTY LIFT TRUCKS
SERVICE
MACHINE TOOL SERVICE

KONECRANES®
Lifting Businesses™

LIFT TRUCKS WITH HEART





WE MAKE LIFT TRUCKS WITH HEART

We delivered our first heavy-duty lift truck to a special customer in 1959. We put our heart into that first delivery, making the truck with great care and craftsmanship, looking after the delivery and working life of our first-born to make sure that customer was more than pleased.

Our attitude is exactly the same today. We now sell and service our lift trucks all over the world as part of Konecranes, the world's leading provider of smarter lifting solutions. Visit our production facilities and you'll find a close-knit community of Konecranes people with a common passion: making the hardest-working, longest-lived lift trucks in the world. We live and breathe lift trucks.



Meet Stefan (at left) and Lars-Göran (at right), lift truck craftsmen. They're skilled, tough, down-to-earth, hard-working and good-humored, entirely typical of the spirit at Konecranes. They've been making Konecranes lift trucks as a team for more than 10 years.

This publication is for general informational purposes only. Konecranes reserves the right at any time, without notice, to alter or discontinue the products and/or specifications referenced herein. This publication creates no warranty on the part of Konecranes, express or implied, including but not limited to any implied warranty or merchantability or fitness for a particular purpose.

**The heart of
our technology**

SMARTER WHERE IT MATTERS

We invite you to visit our lift truck factories to see for yourself that your trucks are made with heart — with care, craftsmanship and the latest smart technologies. You can tell a lot about how a lift truck will perform when you visit the facility in which it is made.

The strength, performance and reliability of every Konecranes lift truck is based on three things that make up the heart of our technology:

Strong box-type chassis

Our box-type chassis, lift masts and tilt cylinders are extremely durable. This is the foundation of the long-lasting high performance of our lift trucks.

Smart connected lift trucks

TRUCONNECT Remote Monitoring service enables you to track the real usage of your lift trucks through a remote connection. Planning more productive processes will be easier when you get a clear view of the efficiency of your fleet. TRUCONNECT is a tool for maintenance and investment planning and improving uptime. It also helps you to identify where operator training could improve work site safety. We offer you 24/7 access to all your on-time and periodical data.


Probably the best cabin on the market

OPTIMA is a new generation customizable cabin for your exact operational needs. We offer you a spacious cabin, superior visibility, integrated solutions and full monitoring of all the vital components and functions on a touch screen. An excellent seat, powerful cabin heating and ventilation, automatic air conditioning (ACC) give the driver maximum comfort. Optional, ergonomic steering solutions improve productivity. Whatever extra equipment you need, we can install it as a part of an ergonomic instrumentation layout.



THE VIEW FROM ABOVE

We are keenly interested in how our customers use our lift trucks in the field. Many of the innovations and refinements that we offer are the direct result of customer field experience. Our R&D engineers are constantly expanding our list of features, special options and attachments. Our lift truck craftsmen enjoy building lift trucks according to your individual requirements.



Making the hardest-working lift trucks in the world

OUR LIFT TRUCKS COME WITH OUR PEOPLE

At the end of every working day, we want to look back at the work we've done with the satisfaction that comes from knowing we'll deliver the best possible lift truck to our customer.

The people who design, build and support Konecranes lift trucks do their work with a special spirit. It comes in part from our long heritage in the lift truck business. We have devoted our working lives to lift trucks — they're in our blood. Many of our fathers have worked in the lift truck business and, in a few cases, even our grand-fathers.

The special spirit also comes from our daily contact with customers. We know that we are only as good as our last lift truck and how that truck will perform throughout its working life.

Lowest Total Cost of Ownership

When you're shopping around the lift truck suppliers and comparing prices, our product will probably not be the cheapest. But don't strike us off your list for that reason. We ask you to consider one thing above all: the importance to your business of the work you need the truck to do, over the long-term. If you let this guide your choice of truck, we are your number one choice.

Service and spare parts

Konecranes lift trucks are available in over 80 countries through our appointed distributors and Konecranes country operations. In both cases, they are fully supported with spare parts and personalized service and maintenance. Konecranes has the widest service reach of any company in the lifting business. And our distributors are some of the most respected in the lift truck business.





KONECRANES

SMV 108 TC6


KONECRANES

LIFT TRUCKS FOR EVERY APPLICATION

- Container ports and terminals
- Intermodal and railroads
- Transport and logistics
- Trimodal river handling
- Steel, aluminum and mining
- Concrete, brick and rock
- Wood, pulp and paper
- Automotive
- Heavy and general industry
- Shipyards
- Oil and gas
- Wind power
- Nuclear
- Waste-to-energy

REACH STACKERS

10-45 tons (container)
41-45 tons (intermodal)
10-80 tons (industrial)



FORK LIFT TRUCKS

10-33 tons
37-65 tons



CONTAINER LIFT TRUCKS

8-10 tons (empty handling)
26-45 tons (laden handling)



Container handling, Australia



Wood chip handling, Norway



Steel slab handling, Finland



Aluminum handling, Norway



Twin empty stacker, Germany



Paper roll handling, Finland



Laden top-loader, Saudi Arabia



Rock handling (marble), Italy



THE WORLD’S WIDEST RANGE OF HEAVY-DUTY LIFT TRUCKS

We offer the widest and deepest range of premium lift trucks on the market. You will find the model you need, optimized to your specific requirements for a long, strong and lean service life.

Fork lift trucks, 10 to 18 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 10-600 C	10 tons at 600 mm	3000 mm
SMV 12-600 C	12 tons at 600 mm	3000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 10-1200 C	10 tons at 1200 mm	3250 mm
SMV 13.6-600 C	13.6 tons at 600 mm	3250 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 12-1200 C	12 tons at 1200 mm	3500 mm
SMV 16-600 C	16 tons at 600 mm	3500 mm
SMV 16-900 C	16 tons at 900 mm	3500 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 15-1200 C	15 tons at 1200 mm	3750 mm
SMV 16-1200 C	16 tons at 1200 mm	3750 mm
SMV 18-600 C	18 tons at 600 mm	3750 mm
SMV 18-900 C	18 tons at 900 mm	3750 mm

18 to 33 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 18-1200 C	18 tons at 1200 mm	4000 mm
SMV 20-1200 C	20 tons at 1200 mm	4000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 22-1200 C	22 tons at 1200 mm	4250 mm
SMV 23.6-1200 C	23.6 tons at 1200 mm	4250 mm
SMV 25-1200 C	25 tons at 1200 mm	4250 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 28-1200 C	28 tons at 1200 mm	4500 mm
SMV 32-1200 C	32 tons at 1200 mm	4750 mm
SMV 33-1200 C	33 tons at 1200 mm	4750 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 28-1200 B RoRo	28 tons at 1200 mm	4500 mm
SMV 32-1200 B RoRo	32 tons at 1200 mm	4750 mm

37 to 65 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 37-1200 C	37 tons at 1200 mm	5000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 42-1200 C	42 tons at 1200 mm	5500 mm
SMV 45-1200 C	45 tons at 1200 mm	5500 mm
SMV 50-1200 C	50 tons at 1200 mm	6000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 52-1200 C	52 tons at 1200 mm	6000 mm
SMV 55-1200 C	55 tons at 1200 mm	6000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 60-1500 C	60 tons at 1500 mm	6000 mm
SMV 65-1200 C	65 tons at 1200 mm	6000 mm

Other models upon request

TAKING CONTAINER HANDLING TO A HIGHER LEVEL

Empty container handlers

Single stacking
3–6 high
up to 8 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 3 ECC 80	8 tons at 1220 mm	3750 mm
SMV 4 ECC 80	8 tons at 1220 mm	3750 mm
SMV 5 ECC 80	8 tons at 1220 mm	3750 mm
SMV 6 ECC 80	8 tons at 1220 mm	3750 mm

Single stacking
5–8 high
Up to 9 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 5/6 ECC 90	9 tons at 1220 mm	4500 mm
SMV 6/7 ECC 90	9 tons at 1220 mm	4500 mm
SMV 7/8 ECC 90	9 tons at 1220 mm	4500 mm

Double stacking
4–8 high
Up to 10 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 4/5 ECC 100 DS*	10 tons at 1220 mm	4500 mm
SMV 5/6 ECC 100 DS*	10 tons at 1220 mm	4500 mm
SMV 6/7 ECC 100 DS*	10 tons at 1220 mm	4500 mm

*DS = double-stacking spreader

Laden container handlers

Low cabin
3–4 high
33–35 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 37 GC3-GC4	35/33 tons at 1490/1730 mm	5000 mm

High/mid cabin
4 high
33–35 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 37 GC4S	35/33 tons at 1490/1730 mm	5000 mm

Low cabin
3–4 high
41–45 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 45 GC3-GC4	43/41 tons at 1490/1730 mm	5500 mm
SMV 52 GC3-GC4	45/43 tons at 1490/1730 mm	6000 mm

High/mid cabin
4–5 high
41–45 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 45 GC4S-GC5S	42/41 tons at 1490/1730 mm	5500 mm
SMV 52 GC4S-GC5S	45/43 tons at 1490/1730 mm	6000 mm

Other models upon request

QUALITY WITH HEART IN EVERY DETAIL

Reach stackers for container handling, 10 to 45 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 108 TC6	10-8-5 tons	5000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 2115 TC3	21-15-5 tons	5500 mm
SMV 2518 TC3	25-18-8 tons	5500 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 4127 TC5 (TC6)*	41-27-14 tons	6400 mm
SMV 4527 TC5 (TC6)*	45-27-14 tons	6400 mm
SMV 4531 TC5 (TC6)*	45-31-16 tons	6400 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 4535 TC5 (TC6)*	45-35-20 tons	6400 mm
SMV 4535 TCX5**	45-37-24 tons	6400 mm
SMV 4537 TC5	45-37-19 tons	6400 mm
SMV 4537 TCX5**	45-41-28 tons	6400 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 4542 TC5	45-42-24 tons	7250 mm
SMV 4542 TCX5**	45-44-30 tons	7250 mm
SMV 4543 TC5	45-42-25 tons	7500 mm
SMV 4543 TCX5**	45-44-34 tons	7500 mm




MODEL NAME	CAPACITY	WHEELBASE
SMV 4545 TC5	45-45-37 tons	8000 mm
SMV 4545 TCX5**	45-45-45 tons	8000 mm

Reach stackers for intermodal handling, 41 to 45 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 4123 CC5	41-23-9 tons	6400 mm
SMV 4527 CC5	45-27-13 tons	6400 mm
SMV 4531 CC5	45-31-16 tons	6400 mm
SMV 4531 CCX5***	45-33-20 tons	6400 mm
SMV 4533 CC5	45-33-16 tons	6400 mm
SMV 4533 CCX5***	45-37-24 tons	6400 mm

Reach stackers for barge handling, 45 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 4542 TC4 BH	45-37-23 tons (yard) 43-30-18 tons (barge)	7500 mm
SMV 4542 TCX4 BH**	45-41-31 tons (yard) 45-37-26 tons (barge)	7500 mm
SMV 4545 TC3 BH	45-45-35 tons (yard) 45-37-30 tons (barge)	9000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 4537 CC5	45-37-22 tons	7250 mm
SMV 4537 CCX5	45-40-28 tons	7250 mm
SMV 4538 CC5	45-38-23 tons	7500 mm
SMV 4538 CCX5***	45-40-32 tons	7500 mm

Reach stackers for industrial handling, 35 to 80 tons



MODEL NAME	CAPACITY	WHEELBASE
SMV 4127	35-50 tons	6400 mm
SMV 4527	35-50 tons	6400 mm
SMV 4531	35-50 tons	6400 mm
SMV 4535	35-50 tons	6400 mm
SMV 4542	40-60 tons	7250 mm
SMV 4545	40-80 tons	8000 mm



MODEL NAME	CAPACITY	WHEELBASE
SMV 4545 CC5	45-45-33 tons	8000 mm
SMV 4545 CCX5***	45-45-45 tons	8000 mm

*TC5 = 5 high, TC6 = 6 high

**TCX = Capacity with support jacks engaged

***CCX = Capacity with support jacks engaged

Other models upon request



INDUSTRIAL
CRANES



NUCLEAR
CRANES



PORT
CRANES



HEAVY-DUTY
LIFT TRUCKS




SERVICE



MACHINE
TOOL
SERVICE



Konecranes is a world-leading group of Lifting Businesses™ offering lifting equipment and services that improve productivity in a wide variety of industries. The company is listed on Nasdaq Helsinki Ltd (symbol: KCR1V). With almost 12,000 employees at 600 locations in nearly 50 countries we have the resources, technology and determination to deliver on the promise of Lifting Businesses™.

© 2015 Konecranes Plc. All rights reserved. 'Konecranes', 'Lifting Businesses', 'TRUCONNECT' and  are either registered trademarks or trademarks of Konecranes Plc.



Konecranes Lift Trucks AB Box 103, SE-285 23 Markaryd, Sweden
Tel. +46 433 73300, Fax +46 433 73310, E-mail: info.lifttrucks@konecranes.com
www.kcliftrucks.com